

Appendix 23. References

- Abell, R.A., D.M. Olson, E. Dinerstein, P.T. Hurley, J.R. Diggs, W. Eichbaum, S. Walters, W. Wettengel, T. Allnutt, C.J. Loucks, and P. Hedao. 2000. Freshwater Ecoregions of North America: A Conservation Assessment. World Wildlife Fund – US, Island Press, Washington, DC.
- Allen, R.C., C. Bottcher, P. Bording, P. Burns, J. Conery, T. Davies, J. Demmel, C. Johnson, L. Kantha, W. Martin, G. Parks, S. Piacsek, D. Pryor, T. Schlick, M.R. Strayer, V.M. Umar, R. Voigt, J. Wagener, D. Zachmann, J. Ziebarth. 1996. Computational Science Education Project. <http://csep1.phy.ornl.gov/CSEP/CSEP.html>. Last accessed January 2004.
- Altman, B., C.M. Henson, and I.R. Waite. 1997. Summary of information on aquatic biota and their habitats in the Willamette Basin, Oregon, through 1995. US Geological Survey Water Resources Investigations Report 97-4023. Portland, OR.
- Altman, B., M. Hayes, S. Janes, and R. Forbes. 2001. Wildlife of westside grassland and chaparral habitats. In *Wildlife-Habitat Relationships in Oregon and Washington*, ed. D.H. Johnson and T.A. O'Neil, Pgs. 261-291. Oregon State University Press, Corvallis, OR.
- Andelman, S.A., I. Ball, F. Davis and D. Stomms. 1999. Sites 1.0: An Analytical Toolbox for Designing Ecoregional Conservation Portfolios. The Nature Conservancy, Arlington, VA.
- Anderson, M., P. Bougeron, M.T. Bryer, R. Crawford, L. Engelking, D. Faber-Langendoen, M. Gallyoun, K. Goodin, D.H. Grossman, S. Landaal, K. Metzler, K.D. Patterson, M. Pyne, M. Reid, L. Sneddon, and A.S. Weakley. 1998. International classification of ecological communities: terrestrial vegetation of the United States. Volume II. *The National Vegetation Classification System: List of Types*. The Nature Conservancy, Arlington, VA.
- Anderson, M., P. Comer, D. Grossman, C. Groves, K. Poiani, M. Reid, R. Schneider, B. Vickery, and A. Weakley. 1999. *Guidelines for Representing Ecological Communities in Ecoregional Plans*. The Nature Conservancy, Arlington, VA.
- Ando, A., J. Camm, S. Polasky, and A. Solow. 1998. Species distributions, land values, and efficient conservation. *Science* 279:2126-2128.
- Angermeier, P. L., and I. J. Schlosser. 1995. Conserving aquatic biodiversity: Beyond species and populations. *American Fisheries Society Symposium* 17: 911-927.
- Angermeier, P. L., and M. R. Winston. 1999. Characterizing Fish Community Diversity across Virginia Landscapes: Prerequisite for Conservation. *Ecological Applications* 9:335-349.
- Angermeier, P. L., R. A. Smoger, and J. R. Stauffer. 2000. Regional Frameworks and Candidate Metrics for Assessing Biotic Integrity in Mid Atlantic Highland Streams. *Trans. Am. Fish. Soc.* 129:962-981.
- Association for Biodiversity Information (ABI). 2001. *Preparation for Biotics and Implementation of the Revised EO Methodology*. Biotics Team Information Division.
- Bailey R.G. 1994. Ecoregions of the United States. Scale 1:7,500,000 map. USDA Forest Service. Washington D.C.
- Ball, I.R. and H.P. Possingham. 2000. Marxan v1.2. Marine Reserve Design using Spatially Explicit Annealing. <http://www.ecology.uq.edu.au/marxan.htm>. Last accessed January 2004.

- Beck, M.W. and M. Odaya. 2001. Ecoregional planning in marine environments: identifying priority sites for conservation in the northern Gulf of Mexico. *Aquatic Conservation: Marine and Freshwater Ecosystems* 11:235-242.
- Bedward, M., R. L. Pressey, and D. A. Keith. 1992. A new approach for selecting fully representative reserve networks: addressing efficiency, reserve design and land suitability with an iterative analysis. *Biological Conservation* 62:115-125.
- Beissinger, S.R., J.M. Reed, J.W. Wunderle, S.K. Robinson, and D.M. Finch. 2000. Report of the AOU Conservation Committee on the Partners in Flight species prioritization plan. *The Auk* 117:549-561.
- Berry, H.D., J.R. Harper, T.F. Mumford, Jr., B.E. Bookheim, A.T. Sewell, and L.J. Tamayo. 2001. *The Washington State Shore Zone Inventory User's Manual*. Nearshore Habitat Program, Washington State Department of Natural Resources, Olympia, WA.
- Boyan, J.A. 1998. Learning Evaluation Functions for Global Optimization. Ph.D. thesis, Carnegie Mellon University, Pittsburgh, PA.
- British Columbia Ministry of Environment, Lands and Parks, Fisheries Branch. 1996. An Introduction to the British Columbia Watershed Atlas. <http://www.cfdnan.bc.ca/CIFRP/Files/Atlsintr.pdf>. Accessed January 2004.
- Brooks, T.M., S.L. Pimm, and N.J. Collar. 1997. Deforestation predicts the number of threatened birds in insular Southeast Asia. *Conservation Biology* 11:382-394.
- Brooks, T.M., S.L. Pimm, and J.O. Oyugi. 1999. Time lag between deforestation and bird extinction in tropical forest fragments. *Conservation Biology*. 13: 1140-1150.
- Bryce, S.A., J.M. Omernik, D.P. Larsen. 1999. Ecoregions: a geographic framework to guide risk characterization and ecosystem management. *Environmental Practice* 1: 141-155.
- Burger, A.E., J.A. Booth, K.H. Morgan. 1997. A preliminary identification of processes and problems affecting marine birds in coastal and offshore areas of British Columbia. Technical report series number 277: Canadian Wildlife Service, Pacific and Yukon Region, British Columbia.
- Department of Fisheries and Oceans Canada. 2000. Pacific Region. Integrated Fisheries Management Plan: Inside Rockfish Hook and Line. April 2000-March 2001. Vancouver, British Columbia.
- Carpenter, K. and I. Waite. 2000. Relations of habitat-specific algal assemblages to land use and water chemistry in the Willamette Basin, Oregon. *Environmental Monitoring and Assessment* 64: 247-257.
- Carter, M.F., W.C. Hunter, D.N. Pashley, and K.V. Rosenberg. 2000. Setting conservation priorities for landbirds in the United States: the Partners in Flight approach. *The Auk* 117:541-548.
- Cassidy, K. M., M. R. Smith, C. E. Grue, K. M. Dvornich, J. E. Cassady, K. R. McAllister, and R. E. Johnson. 1997. Gap Analysis of Washington State: an evaluation of the protection of biodiversity. Volume 5 in Washington State Gap Analysis - Final report. (K.M. Cassidy, C.E. Grue, M.R. Smith, and K.M. Dvornich, eds.), Washington Fish and Wildlife Research Cooperative Unit, University of Washington, Seattle.
- Cederholm, C. J., D. H. Johnson, R. E. Bilby, L.G. Dominguez, A. M. Garrett, W. H. Graeber, E. L. Greda, M. D. Kunze, B.G. Marcot, J. F. Palmisano, R. W. Plotnikoff, W. G. Percy, C. A. Simenstad, and P. C. Trotter. 2000. Pacific Salmon and Wildlife - Ecological Contexts, Relationships, and Implications for Management. Special Edition Technical Report, Prepared for D. H. Johnson and T. A. O'Neil (Managing directors), Wildlife-Habitat Relationships in Oregon and Washington. Washington Department of Fish and Wildlife, Olympia, Washington.

Chappell, C. B., M. S. Mohn Gee, B. Stephens, R. Crawford, and S. Farone. 2001. Distribution and decline of native grasslands and oak woodlands in the Puget Lowland and Willamette Valley ecoregions, Washington. In *Conservation of Washington's native plants and ecosystems*, ed. S.H. Reichard, P.W. Dunwiddie, J. G. Gamon, A.R. Kruckeberg, and D.L. Salstrom, Pgs. 124-139. Washington Native Plant Society, Seattle, WA.

Chappell, C. B., M.S. Mohn Gee, and B. Stephens. 1999. *A geographic information systems map of existing grasslands and oak woodlands in the Puget Lowland and Willamette Valley Ecoregions, Washington*. Washington Natural Heritage Program., Department of Natural Resources, Olympia, WA.

Cheong, Tony. 2001. British Columbia Ministry of Sustainable Resource Management. Personal communication.

Christy, J.A., E.R. Alverson, M.P. Dougherty, S.C. Kolar, and C.W. Alton. 1999. *Historic vegetation of the Willamette Valley, Oregon, 1851-1910*. ArcView coverage, Version 2.0. <http://www.fls.orst.edu/pnwerc/wrb/access.html>. Oregon Natural Heritage Information Center, Oregon State University, Portland, OR.

Church, R. L., D. M. Stoms, and F.W. Davis. 1996. Reserve selection as a maximal covering location problem. *Biological Conservation* 76:105-112.

Cocklin, C. 1989. Mathematical programming and resources planning I: the limitations of traditional optimization. *Journal of Environmental Management* 28:127-141.

Cocks, K.D., and I.A. Baird. 1989. Using mathematical programming to address the multiple reserve selection problem: an example from the Eyre Peninsula, south Australia. *Biological Conservation* 49:113-130.

Comer, P. 2001. NatureServe. Personal communication.

Conner, E.F. and E.D. McCoy. 1979. The statistics and biology of the species-area relationship. *The American Naturalist* 113:791-833.

British Columbia Conservation Data Centre. CDC home page. <http://srmwww.gov.bc.ca/cdc/>. Accessed January 2004.

Cooper, J. G. 1994. Report upon the botany of the route. Pp. 2-35 in Anderson, A. R., ed. *Plant life of Washington Territory, Northern Pacific Railroad survey, botanical report. 1853-1861*. Douglasia Occ. Pap., Vol.5.

Cowardin, L. M., V. Carter, F. C. Golet, E. T. LaRoe. 1979. *Classification of wetlands and deepwater habitats of the United States*. U. S. Department of the Interior, Fish and Wildlife Service, Washington, D.C. 131pp.

Cox, J., R. Kautz, M. MacLaughlin, and T. Gilbert. 1994. Closing the gaps in Florida's wildlife habitat conservation system. Office of Environmental Services, Florida Game and Fresh Water Fish Commission, Tallahassee, Florida.

Crawford, R. C., and H. Hall. 1997. Changes in the South Puget Sound prairie landscape. In *Ecology and conservation of the South Puget Sound Prairie Landscape*, ed. P. Dunn, P. and K. Ewing, Pgs. 11-15. The Nature Conservancy of Washington, Seattle, WA.

Csuti, B., S. Plasky, P. H. Williams, R. L. Pressey, J. D. Camm, M. Kershaw, A. R. Kiester, B. Downs, R. Hamilton, M. Huso, and K. Sahr. 1997. A comparison of reserve selection algorithms using data on terrestrial vertebrates in Oregon. *Biological Conservation* 80:83-97.

Davis, F.W., D. M. Stoms, and S. Andelman. 1999. Systematic reserve selection in the USA: an example from the Columbia Plateau Ecoregion. *Parks* 9:31-41.

Demarchi, D. A. 1996. An Introduction to the Ecoregions of British Columbia. Wildlife Branch, Ministry of Environment, Lands and Parks. Victoria, British Columbia. 47 pp. + maps.
<http://www.env.gov.bc.ca/wld/his/ecosys.html>

Dethier, M.N. 1990. *A marine and estuarine habitat classification system for Washington State*. Washington Natural Heritage Program, Department of Natural Resources. Olympia, WA.

Diamond, J.M. 1975. The island dilemma: lessons of modern biogeographic studies for the design of natural preserves. *Biological Conservation* 7:129-146.

Diamond, J.M. 1972. Biogeographic kinetics: estimation of relaxation times for avifaunas of Southwest Pacific Islands. *Proc. Natl. Acad. Sci. USA* 69:3199-3203.

Dobson, A. 1996. Conservation and Biodiversity. Scientific American Library, New York. p. 66.

Dvornich, K.M., K.R. Mcallister, and K.B. Aubry. 1997. Amphibian and reptiles of Washington State: location data and predicted distributions. In *Washington State Gap Analysis - Final report, Volume 2*, ed. K.M. Cassidy, C.E. Grue, M.R. Smith, and K.M. Dvornich. Washington Fish and Wildlife Research Cooperative Unit, University of Washington, Seattle, WA.

Dwyer, L.E., D.D. Murphy, and P.R. Ehrlich. 1995. Property rights case law and the challenge to the endangered species act. *Conservation Biology* 9:725-741.

Ecological Stratification Working Group. 1995. A National Ecological Framework for Canada: Terrestrial Ecozones and Ecoregions of Canada. Agriculture Canada and Environment Canada. Ottawa ON. 125 pp. + map scale 1: 7,500,000.

Environment Canada World Wide Web Site. 2003. The Green Lane™ home page.
<http://www.ec.gc.ca/soer-ree/English/Framework/NarDesc>. Accessed January 2004.

Essential Salmonid Habitat from the Oregon Division of State Lands. April 1999.
<http://statelands.dsl.state.or.us/esshabitat.html>. Accessed 1999.

Evenson, J.R., and J.B. Buchanan. 1997. Seasonal abundance of shorebirds at Puget Sound estuaries. *Washington Birds*, 6:34-62.

FEMAT Key Watersheds. 1993. GIS data available from www.reo.gov. Accessed January 2004.

Ferdaña, Z.A. 2002. Approaches to integrating a marine GIS into The Nature Conservancy's ecoregional planning process. In J. Breman, ed., *Marine Geography: GIS for the Oceans and Seas*, pp. 151-158. Redlands, CA: ESRI.

Forman, R.T.T. 1995. *Land Mosaics: the Ecology of Landscapes and Regions*. Cambridge University Press, Cambridge, Great Britain.

Frissell, C.A., P.H. Morrison, S.B. Adams, L.H. Swope, and N.P. Hitt. 2000. Conservation priorities: An assessment of freshwater habitat for Puget Sound salmon. Trust for Public Land, Seattle, WA.

Frissell, C.A., W.J. Liss, C.E. Warren, and M.D. Hurley. 1986. A hierarchical framework for stream habitat classification: viewing streams in a watershed context. *Environmental Management* 10(2):199-214.

Gilkey, H. M. 1947. *Handbook of Northwest Flowering Plants*. Oregon State College, Corvallis, OR.

Grossman, D. H., D. Faber-Langendoen, A. S. Weakley, M. Anderson, P. Bougeron, R. Crawford, K. Goodin, S. Landaal, K. Metzler, K. D. Patterson, M. Pyne, M. Reid, and L. Sneddon. 1998. International Classification of Ecological Communities: Terrestrial Vegetation of the United States. Volume 1. *The National Vegetation Classification System: Development, Status, and Applications*. The Nature Conservancy, Arlington, VA.

Groves, C.R. 2003. *Drafting a Conservation Blueprint. A Practitioner's Guide to Planning for Biodiversity*. Washington, DC: Island Press.

Groves, C.R., D.B. Jensen, L.L. Valutis, K.H. Redford, M.L. Shaffer, J.M. Scott, J.V. Baumgartner, J.V. Higgins, M.W. Beck, and M.G. Anderson. 2002. Planning for biodiversity conservation: putting conservation science into practice. *BioScience*, 52(6): 499-512.

Groves, C.R., L. Valutis, D. Vosick, B. Neely, K. Wheaton, J. Touval, and B. Runnels. 2000. *Designing a Geography of Hope: A Practitioner's Handbook for Ecoregional Conservation Planning*, 2nd ed., Vols. 1 and 2. The Nature Conservancy, Arlington, VA.

Haas, G. 1998. Indigenous fish species potentially at risk in British Columbia, with recommendations and prioritizations for conservation, forestry/resource use, inventory and research. British Columbia, Ministry of Fisheries, Fisheries Management Report No. 105.

Haas, G. 2000. British Columbia's Freshwater Fish, Species, and Ecosystems are More at Risk and Less Protected. In: The Proceedings of the Conference on the "Biology and Management of Species and Habitats At Risk". Crown Publications, Victoria, BC, Canada. <http://www.crownpub.bc.ca/>

Harper, J. R., and H. Berry. 2000. *User's Manual for the Biophysical Shore-Zone Mapping System of Washington*. Washington Department of Natural Resources, Olympia, WA.

Hart, M.M., R.J. Reader, and J.N. Klironomos. 2001. Biodiversity and ecosystem function: alternate hypotheses or a single theory? *Bulletin of the Ecological Society of America*, 82: 88-90.

Hawkes, C.L., D.L. Miller, and W.G. Layner. 1986. Fish ecoregions of Kansas: stream fish assemblage patterns and associated environmental correlates. *Environmental Biology of Fishes* 17:267-279.

Higgins, J.V., M. Lammert, M. Bryer, M. DePhilip and D. Grossman. 1998. *Freshwater Conservation in the Great Lakes Basin: Development and Application of an Aquatic Community Classification Framework*. Chicago, IL: The Nature Conservancy.

Higgins, J.V., M.T. Bryer, M. Lammert, T. Fitzhugh. Submitted 2003. *An Ecological Classification Approach for Freshwater Biodiversity Conservation Planning*. *Conservation Biology*.

Hitchcock, C. L. and A. Cronquist. 1973. *Vascular Plants of the Pacific Northwest*. University of Washington Press, Seattle, WA.

Hitt, N.P. and C.A. Frissell. 1999. Wilderness in a landscape context: a quantitative approach to ranking Aquatic Diversity Areas in western Montana. Presented at the Wilderness Science Conference, Missoula, MT, May 23-27, 1999.

Hocutt, C.H., and E.O. Wiley, eds. 1986. *The Zoogeography of North American Freshwater Fishes*. John Wiley and Sons, New York. 866 p.

Hopkins L., J. Fosback, M Carlson, and M. Thiele. 1993. *Floral Distribution Survey*. 2nd Edition. Douglas County Museum of History and Natural History, Roseburg, OR.

- Howes, D.E., J.R. Harper, and E.H. Owens. 1994. *Physical shore-zone mapping system for British Columbia. Technical Report* by Coastal and Ocean Resources, Inc., Sidney, BC for the Coastal Task Force of the Resource Inventory Committee (RIC), RIC Secretariat. Victoria, BC.
- Howes, D.E., P. Wainwright, J. Haggarty, J. Harper, E. Owens, D. Reimer, K. Summers, J. Cooper, L. Berg and R. Baird. 1993. *Coastal resources and oil spill response atlas for the southern Strait of Georgia*. BC Ministry of Environment, Lands and Parks, Environmental Emergencies Coordination Office. Victoria, BC.
- Hunter, M.L. 1989. *Wildlife, Forests, and Forestry: Principles of Managing Forests for Biological Diversity*. Prentice-Hall, Englewood Cliffs, NJ.
- Iam J. and J. Delosme. 1988. Performance of a new annealing schedule. In *Proceedings of the 25th ACM/IEEE conference on Design automation*, pages 306-311. IEEE Computer Society Press, Los Alamitos, CA.
- Institute for a Sustainable Environment. 1999. University of Oregon, Eugene, OR.
- Iten, C., T.A. O'Neil, K.A. Bettinger, and D.H. Johnson. 2001. Extirpated species of Oregon and Washington. In *Wildlife-Habitat Relationships in Oregon and Washington*, ed. D.H. Johnson and T.A. O'Neil, Pgs. 474-500. Oregon State University Press, Corvallis, OR.
- Jackson, D. A., and H. H. Harvey. 1989. Biogeographic associations in fish assemblages: local vs. regional processes. *Ecology* 70: 1472-1484.
- Jenkins, R. E. 1996. Natural Heritage Data Center Network: Managing information for biodiversity. In *Biodiversity in Managed Landscapes: Theory and Practice*, ed. R.C. Szaro and D.W. Johnston, pp. 176-192. New York: Oxford University Press.
- Jennings, M., O. Loucks, D. Glenn-Lewin, R. Peet, D. Faber-Langendoen, D. Grossman, A. Damman, M. Barbour, R. Pfister, M. Walker, S. Talbot, J. Walker, G. Hartshorn, G. Waggoner, M. Abrams, A. Hill, D. Roberts, and D. Tart. 2002. *Standards for associations and alliances for the U.S. National Vegetation Classification*. Version 1.0. Ecological Society of America, Vegetation Classification Panel. http://www.esa.org/vegstds_v1.htm.
- Joao, E. M. 1998. *Causes and Consequences of Map Generalisation*, Taylor & Francis, London, U.K.
- Johnson, R.E., and K.M. Cassidy. 1997. Terrestrial mammals of Washington State: location data and predicted distributions. *Washington State Gap Analysis - Final report*, Volume 3, ed. K.M. Cassidy, C.E. Grue, M.R. Smith, and K.M. Dvornich. Washington Fish and Wildlife Research Cooperative Unit, University of Washington, Seattle, WA.
- Jolley, R. 1988. *Wildflowers of the Columbia*. Oregon Historical Society Press, Portland, OR.
- Justus, J., and S. Sarkar. 2002. The principle of complementarity in the design of reserve networks to conserve biodiversity: a preliminary history. *Journal of Bioscience* 27:421-435.
- Kagan, J.S., J.C. Hak, B. Csuti, C.W. Kiilsgaard, and E.P. Gaines. 1999. Oregon Gap Analysis Project: a geographic approach to planning for biological diversity. Oregon Natural Heritage Program, Portland, Oregon.
- Kautz, R.S., and J.A. Cox. 2001. Strategic habitats for biodiversity conservation in Florida. *Conservation Biology* 15:55-77.
- Kirkpatrick, J.B. 1983. An iterative method for establishing priorities for the selection of nature reserves: an example from Tasmania. *Biological Conservation* 25:127-134.

- Kirkpatrick, S., C. D. Gelatt, Jr., and M. P. Vecchi. 1983. Optimization by simulated annealing. *Science* 220: 671-680.
- Lammert, M., J.V. Higgins, D. Grossman, and M. Bryer. 1997. A classification framework for freshwater communities: Proceedings of The Nature Conservancy's Aquatic Community Classification Workshop. The Nature Conservancy, Arlington, VA.
- Leslie, H., M. Ruckelshaus, I. Ball, S. Andelman, and H. Possingham. 2002. *Using siting algorithms in the design of marine reserve networks*. *Ecological Applications*, 13(1) Supplement, 2003, pp. S185-S198.
- Lombard, A.T., A.O. Nicholls, and P.V. August. 1995. Where should nature reserves be located in South Africa?: a snake's perspective. *Conservation Biology* 9:363-372.
- Longley, P. A., M. F. Goodchild, D. J. Maguire, and D. W. Rhind. 2001. *Geographic Information Systems and Science*. John Wiley & Sons, LTD, Chichester, U.K.
- MacArthur, R.H. and E.O. Wilson. 1967. *The Theory of Island Biogeography*. Princeton University Press, Princeton, NJ.
- Maret, T.R., C.T. Robinson, and G.W. Minshall. 1997. Fish assemblages and environmental correlates in least-disturbed streams of the upper Snake River basin. *Transactions of the American Fisheries Society* 126:200-216.
- Margules, C. R., A. O. Nicholls, and R. L. Pressey. 1988. Selecting networks of reserves to maximise biological diversity. *Biological Conservation* 43:63-76.
- Margules, C R and R.L. Pressey. 2000. Systematic conservation planning; *Nature (London)* 405: 242–253.
- Marshall, R.M., S. Anderson, M. Batcher, P. Comer, S. Cornelius, R. Cox, A. Gondor, D. Gori, J. Humke, R. Paredes Aguilar, I.E. Parra, and S. Schwartz. 2000. An Ecological Analysis of Conservation Priorities in the Sonoran Desert Ecoregion. Prepared by the Nature Conservancy-Arizona Chapter, Sonoran Institute, el Instituto del Medio Ambiente y el Desarrollo Sustentable del Estado de Sonora, with support from the Department of Defense Legacy Program and agency and institutional partners.
- Master, L.L. 1991. Assessing threats and setting priorities for conservation. *Conservation Biology* 5:559-563.
- Master, Larry. 2001. NatureServe. Personal communication.
- Mathews, W. J. 1998. *Patterns in Freshwater Fish Ecology*. Chapman and Hall, New York, NY.
- Maxwell, J.R., C.J. Edwards, M.E. Jensen, S.J. Paustian, H. Parrott, and D.M. Hill. 1995. A Hierarchical Framework of Aquatic Ecological Units in North America (Nearctic Zone). U.S. Forest Service, North Central Forest Experimental Station, General Technical Report NC-176. 72pp.
- Mayhood, D. 1995. The fishes of the Central Canadian Rockies Ecosystem. Freshwater Research Limited Report No. 950408 prepared for Parks Canada, Banff National Park. 59pp.
- McAllister, K. 2001. Washington Department of Fish and Wildlife. Personal communication.
- McCune, B. and M.J. Mefford. 1995. PC-ORD. Multivariate Analysis of Ecological Data, Version 2.0. MjM Software Design, Gleneden Beach, OR.
- McDonnell, M.D., H. P. Possingham, I.R. Ball, and E.A. Cousins. 2002. Mathematical methods for spatially cohesive reserve design. *Environmental Modeling and Assessment* 7:104-114.

- McNab, W. H. and P.E. Avers. 1994. Ecological Subregions of the United States: Section Descriptions. United States Department of Agriculture, Forest Service. WO-WSA-5. Washington, DC.
- McPhail, J. and R. Carveth. 1994. Field Key to the Freshwater Fishes of British Columbia. Draft for 1994 field testing. Fish Museum, Department of Zoology, University of British Columbia. <http://www.for.gov.bc.ca/ric>.
- Mehlman, D. and L. Hanners. 1999. *Update #7: Incorporating birds into the ecoregional planning process*. The Nature Conservancy, Arlington, VA.
- Montgomery, D.R. and J. M Buffington. 1998. Channel Processes, Classification, and Response. Pages 13-42 in Robert Niaman and Robert Bilby, eds. *River Ecology and Management*. Springer-Verlag New York, Inc.
- Morris, Mary. 2001. Archipelago Marine Research, Ltd. Personal communication.
- Moyle, P.B. and P.J. Randall. 2000. Evaluating the Biotic Integrity of Watersheds in the Sierra Nevada, California. *Conservation Biology* 12(6): 1318-1326.
- Moyle, P.B., and J.P. Ellison. 1991. A Conservation-Oriented Classification System for the Inland Waters of California. *California Fish and Game* 77:161-180.
- Nachlinger, J., K. Sochi, P. Comer, G. Kittel, and D. Dorfman. 2001. Great Basin: an ecoregion-based conservation blueprint. The Nature Conservancy, Reno, Nevada.
- National Marine Fisheries Service (NMFS). NOAA-NMFS Endangered Species web page. <http://www.nmfs.noaa.gov/endangered.htm>. Accessed January 2004.
- National Research Council. 1996. *Upstream, Salmon and Society in the Pacific Northwest*. National Academy Press. Washington, D.C.
- National Wetlands Inventory (NWI). NWI home page. <http://wetlands.fws.gov/>. Accessed January 2004.
- NatureServe. Natureserve home page. <http://www.natureserve.org/explorer/>. Accessed January 2004.
- NatureServe and The Nature Conservancy, in cooperation with the Network of Natural Heritage Programs and Conservation Data Centers. 2002. Element Occurrence Data Standard. NatureServe, Arlington, VA. <http://whiteoak.natureserve.org/eodraft/index.htm>
- NatureServe and The Nature Conservancy, in cooperation with the Network of Natural Heritage Programs and Conservation Data Centers. 2000. Element Occurrence Data Standard. NatureServe, Arlington, VA.
- Neely, B., P. Comer, C. Moritz, M. Lammert, R. Rondeau, C. Pague, G. Bell, H. Copeland, J. Humke, S. Spackman, T. Schulz, D. Theobald, and L. Valutis. 2001. Southern Rocky Mountains: an Ecoregional Assessment and Conservation Blueprint. The Nature Conservancy, Boulder, Colorado.
- Norton, H.H. 1979. The association between anthropogenic prairies and important food plants in western Washington. *Northwest Anthropological Research Notes* 13:199-219.
- Noss, R.F. 1987. From plant communities to landscapes in conservation inventories: A look at The Nature Conservancy. *Biological Conservation* 41:11-37.
- Noss, R.F. and A.Y. Cooperrider. 1994. *Saving nature's legacy: Protecting and restoring biodiversity*. Island Press, Washington, D.C.

- Noss, R.F., G. Wuerthner, K. Vance-Borland, and C. Carroll. 2001. A Biological Conservation Assessment for the Utah-Wyoming Rocky Mountains Ecoregion: Report to the Nature Conservancy.
- Omernik, J.M. 1995. Ecoregions-a spatial framework for environmental management, in Davis, W.S. and Simon, T.P., eds., Biological assessment and criteria-tools for water resource planning and decision making. Boca Raton, Florida. Lewis Publishers, p. 49-62.
- Omernik, J.M. 1987. Ecoregions of the Coterminous United States (map supplement). Annals of the Association of American Geographers Vol. 77, No. 1. Pp. 118-125. Scale 1:7,500,000.
- Oregon AFS high quality watersheds. Oregon Geospatial Enterprise Office home page. GIS data available from <http://www.ssegis.state.or.us/>. Accessed January 2004
- Oregon Critical Watersheds: A Draft Database. 1993. Watershed Classification Subcommittee of the Natural Production Committee, Oregon Chapter American Fisheries Society. Corvallis, Oregon.
- Oregon Natural Heritage Information Center (ONHIC). Oregon Natural Heritage Program home page. 2002. <http://oregonstate.edu/ornhic/ORNHP.html>. Accessed January 2004.
- Osborne, L.L., and M.J. Wiley. 1992. Influence of Tributary Spatial Position on the Structure of Warmwater Fish Communities. Canadian Journal of Fisheries and Aquatic Sciences. 49:671-681.
- Oswood, M.W., J.B. Reynolds, J.G. Irons, and A.M. Miller. 2000. Distributions of freshwater fishes in ecoregions and hydroregions of Alaska. 2000. J. N. Am. Benthol. Soc. 19(3): 405-418.
- Pater, D.E., S.A. Bryce, T.D. Thorson, J. Kagan, C. Chappell, J.M. Omernik, S.H. Azevedo, and A.J. Woods. 1998. Ecoregions of Western Washington and Oregon: Reston, Virginia, U.S. Geological Survey, map scale 1:1,350,000.
- Peck, M. E. 1941. *A manual of the higher plants of Oregon*, Binfords & Mort, Portland, OR.
- Pflieger, W.L. 1989. Aquatic Community Classification System for Missouri. Jefferson City, MO: Missouri Department of Conservation, Aquatic Series No. 19.
- Pimm, S.L., and R.A. Askins. 1995. Forest losses predict bird extinctions in eastern North America. *Proceedings of the National Academy of Science*, 92:9343-9347.
- Pimm, S.L., and T.M. Brooks. 1999. The sixth extinction: how large, where, and when? In *Nature and Society: the Quest for a Sustainable World*, ed. P.H. Raven. National Academy Press, Washington, DC., Pgs. 46-62
- Piper C.V. and R.K. Beattie. 1915. *Flora of the northwest coast, including the area west of the summit of the Cascade Mountains, from the forty-ninth parallel south to the Calapooia Mountains on the south border of Lane County, Oregon*. Press of the New Era, Lancaster, PA.
- Piper, C.V. 1906. *Flora of the state of Washington*. Government Printing Office, Washington, D.C.
- Poff, N. L., and J. D. Allan. 1995. Functional Organization of Stream Fish Assemblages in relation to Hydrologic Variability. *Ecology* 76:606-627.
- Poff, N.L., and J.V. Ward. 1989. Implications of Streamflow Variability and Predictability for Lotic Community Structure: a regional analysis of streamflow pattern. Canadian Journal of Fisheries and Aquatic Sciences. 46:1805-1818.

- Poiani, K.A., M.D. Merrill, K.A. Chapman. 2001. Identifying conservation-priority area in a fragmented Minnesota landscape based in the umbrella species concept and selection of large patches of natural vegetation. *Conservation Biology* 15:513-522.
- Poiani, K.A., B.D. Richter, M.G. Anderson, H.E. Richter. 2000. Biodiversity conservation at multiple scales: functional sites, landscapes, and networks. *BioScience* 50: 133-146.
- Polasky, S., J. Camm, and B. Garber-Yonts. 2001. Selecting biological reserves cost-effectively: an application to terrestrial vertebrate conservation in Oregon. *Land Economics* 77(1): 68-78.
- Possingham, H.P., I. Ball, and S. Andelman. 2000. Mathematical methods for identifying representative reserve networks. pp. 291-305 in S. Ferson and M. Burgman (eds.), *Quantitative Methods for Conservation Biology*. Springer-Verlag, New York.
- Power, M.E., D. Tilman, J.A. Estes, B.A. Menge, W.J. Bond, L.S. Mills, G. Daily, J.C. Castilla, J. Lubchenco, and R.T. Paine. 1996. Challenges in the Quest for Keystones. *BioScience*, Vol. 46(8): 609-620.
- Pressey, R.L., and R. M. Cowling. 2001. Reserve selection algorithms and the real world. *Conservation Biology* 15:275-277.
- Pressey, R. L., I. R. Johnson, and P. D. Wilson. 1994. Shades of irreplaceability: towards a measure of the contribution of sites to a reservation goal. *Biodiversity and Conservation* 3: 242-262.
- Pressey, R.L., H.P. Possingham, and C.R. Margules. 1996. Optimally in reserve selection algorithms: when does it matter and how much? *Biological Conservation*, 76:259-267.
- Pressey, R.L., H.P. Possingham, and J.R. Day. 1997. Effectiveness of alternative heuristic algorithms for identifying indicative minimum requirements for conservation reserves. *Biological Conservation* 80:207-219.
- Province of British Columbia. 2001. User Manual for the British Columbia TRIM HoL (Height-of-Land) Database (version 1). <http://www.ics.uci.edu/~eppstein/gina/TRIM-HOL-uguide.pdf>. Accessed January 2004.
- Quigley, T.M., and S.J. Arbelbide (eds.). 1997. An assessment of ecosystem components in the interior Columbia basin and portions of the Klamath and Great Basins: Volume 3. Gen. Tech. Rep. PNW-GTR-405. Portland, OR: USDA, Forest Service, Pacific Northwest Research Station.
- Rabeni, C.F., and K.E. Doisy. 2000. Correspondence of Stream Benthic Invertebrate Assemblages to Regional Classification Schemes in Missouri. *J. Am. Benthol. Soc.* 19(3):419-428.
- Ratcliff, D.A. 1971. Criteria for the selection of nature reserves. *Advancement of Science* 27:294-296
- Risser et al. 2000. Oregon State of the Environment Report 2000. Oregon Progress Board. Salem, Oregon. pp 214.
- Rosenzweig, M.L. 1995. *Species Diversity in Space and Time*. Cambridge: Cambridge University Press.
- Rosgen, D.L. 1994. A classification of natural rivers. *Catena* 22:169-199.
- Rumsey, C., M. Wood, B. Butterfield, P. Comer, D. Hillary, M. Bryer, C. Carroll, G. Kittell, K.J. Torgerson, C. Jean, R. Mullen, P. Iachetti, and J. Lewis. 2003. Canadian Rockies Ecoregional Assessment, Volume One. Prepared for The Nature Conservancy and Nature Conservancy Canada, Victoria, British Columbia.

- Seaber, P.R., Kapinos, F.P., and Knapp, G.L. 1987. Hydrologic Unit Maps: U.S. Geological Survey Water-Supply Paper 2294, 63 p.
- Searing, G.F. and H.R. Frith. 1995. *British Columbia shore-zone mapping system, Contract Report* by LGL Ltd., Sidney, BC for the Land Use Coordination Office, BC Ministry of Environment. Victoria, BC.
- Seelbach, P.W., M.J. Wiley, J.C. Kotanchik, and M.E. Baker. 1997. A landscape-based ecological classification for river valley segments in lower Michigan. Research Report 2036. State of Michigan, Department of Natural Resources, Fisheries Division.
- Simberloff, D. 1992. Do species-area curves predict extinction in fragmented forests? pp. 75-89 in T.C. Whitmore and J.A. Sayer (eds.) *Tropical Deforestation and Species Extinction*. Chapman and Hall, London, U.K.
- Slack, J.R. and J.M. Landwehr. 1992. Hydro-Climatic Data Network: A U.S. Geological Survey streamflow data set for the United States for the study of climate variations, 1874 - 1988. USGS OPEN-FILE REPORT 92-129. http://www.wrvares.er.usgs.gov/hcdn_report/abstract.html
- Smith, M.R., P.W. Mattocks, and K.M. Cassidy. 1997. Breeding Birds of Washington State: location data and predicted distributions. In *Washington State Gap Analysis - Final Report*, Volume 4, ed. K.M. Cassidy, C.E. Grue, M.R. Smith, and K.M. Dvornich. Seattle Audubon Society Publications, Seattle, WA. 538 pp.
- Soule, M.E. and M.A. Sanjayan. 1998, Conservation Targets: Do They Help?, *Science*, 279:2060-2061
- StatCan. 2001. Historical Statistics of Canada, Section A. Population and Migration: A2-14, Population of Canada, by Province, Census Dates, 1851 to 1976. <http://www.statcan.ca/english/freepub/11-516-XIE/sectiona/sectiona.htm>
- StatCan. 2002. Table 051-0005: Estimates of Population, Canada, Provinces and Territories, Quarterly (Persons). CANSIM II, www.statcan.ca/english/CANSIM.
- Sugihara G. 1980. Minimal community structure: an explanation of species abundance patterns. *The American Naturalist* 116: 770-787.
- The Nature Conservancy (TNC). 2003. *Canadian Rockies Ecoregional Conservation Plan*. The Nature Conservancy of Canada, Victoria, British Columbia.
- The Nature Conservancy and Association for Biodiversity Information. 1999. Draft element occurrence standard. In cooperation with the Network of Natural Heritage Programs and Conservation Data Centers. Arlington, VA.
- The Nature Conservancy. 2000. Conservation by design: A framework for mission success. Arlington, VA: The Nature Conservancy.
- Titus, J.H., J.A. Christy, D. VanderSchaaf, J.S. Kagan, and E.R. Alverson. 1996. *Native wetland, riparian, and upland plant communities and their biota in the Willamette Valley, Oregon*. Report to Environmental Protection Agency, Region X, Seattle, WA.
- Tonn, W.M. 1990. Climate change and fish communities: a conceptual framework. *Transactions of the American Fisheries Society* 119: 337-352.
- Underhill, L.G. 1994. Optimal and suboptimal reserve selection algorithms. *Biological Conservation* 70:85-87.

- US Census Bureau. 2000. Census of Population and Housing, Summary Population and Housing Characteristics, PHC-1-49, Washington. Washington, DC, 2002
<http://www.census.gov/main/www/cen2000.html>
- US EPA Basins. EPA Basins home page. <http://www.epa.gov/OST/BASINS>. Accessed January 2004.
- USGS National Elevation Dataset (NED). NED home page. <http://gisdata.usgs.net/NED/default.asp>. Accessed January 2004.
- USGS National Hydrography Dataset (NHD). NHD home page. <http://nhd.usgs.gov>. Accessed January 2004.
- Van Pelt, R. 1997. *Pre-settlement vegetation for western Washington*. Unpublished data layer and report accessed by Washington Department of Natural Resources.
- Vannote, R.L., G.W. Minshall, K.W. Cummins, J.R. Sedell, and C.E. Cushing. 1980. The river continuum concept. *Canadian Journal of Aquatic Sciences*. 37:130-137.
- Waite, Ian. 2001. USGS. Personal communication.
- Waite, I. and K. Carpenter. 2000. Associations among fish assemblage structure and environmental variables in Willamette Basin Streams, Oregon. *Transactions of American Fisheries Society*. 129:754-770.
- Ward, P., G. Radcliffe, J. Kirkby, J. Illingworth, and C. Cadrin. 1998. Sensitive Ecosystems Inventory: East Vancouver Island and Gulf Islands, 1993 - 1997. Volume 1: *Methodology, Ecological Descriptions and Results*. Technical Report Series No. 320, Canadian Wildlife Service, Pacific and Yukon Region, British Columbia.
- Ward, P., K. Moore, R. Kistritz. 1992. Wetlands of the Fraser Lowland, 1989: An Inventory. Technical Report Series No. 146. *Environment Canada*. Canadian Wildlife Service, Pacific and Yukon Region, British Columbia.
- Washington Natural Heritage Program (WNHP). Washington State Department of Natural Resources. WNHP home page <http://www.dnr.wa.gov/nhp>. Last accessed January 2004.
- WCED. 1987. *Our Common Future*. Oxford University Press for the UN World Commission on Environment and Development, New York, NY.
- West, J.E. 1997. *Protection and restoration of marine life in the inland marine waters of Washington State*. Report prepared for the Puget Sound/Georgia Basin International Task Force, Washington Work Group on Protecting Marine Life.
- Whittier, T.R., R.M. Hughes, and D.P. Larsen. 1988. Correspondence between ecoregions and spatial patterns in stream ecosystems in Oregon. *Canadian Journal of Fisheries and Aquatic Sciences* 45:1264-1278.
- Wilcox, B.A. 1980. Insular ecology and conservation. In *Conservation Biology: An Ecological-Evolutionary Perspective*, ed. M.E. Soule and B.A. Wilcox. Sinauer, Sunderland, Massachusetts, Pgs. 95-118.
- Wilson, E.O. 1992. *The Diversity of Life*. Harvard University Press, Norton & Company, Inc., New York, NY.
- Williams, P.H. 1998. Key sites for conservation: area-selection methods for biodiversity. pp. 211-248 in G.M. Mace and J.R. Ginsberg (eds.), *Conservation in a Changing World*. Cambridge University Press, London, U.K.

Winston, M.R., and P.I. Angermeier. 1995. Assessing conservation value using centers of population density. *Conservation Biology* 6:1518-1527.

Wolstenholme, L.C. 1999. *Reliability Modeling: a Statistical Approach*. Chapman and Hall, New York, NY.

Zacharias M. 2001. British Columbia Ministry for Sustainable Resource Management. Personal communication.

Zeiler, M. 1999. *Modeling Our World: The ESRI Guide to Geodatabase Design*, Environmental Systems Research Institute, Inc., Redlands, CA.